

IP44



Power	30 W	Voltage	230 V
Luminous flux*	2740 lm (120°)	Colour temperature	3000 K
Light colour	WW	Beam angle	100 °
Protection class	IP44		




 Declaration of Conformity



 Photometric file

Technical data:

Product code	SLI029043WW_CZUJNIK
Power	30 W
Nominal current	130 mA
Voltage	230 V
Energy efficiency classe	F
Energy consumption	30 kWh/1000h
Frequency	50HZ Hz
Protection class	I
Power supply included	+
Power factor	0.9
Useful luminous flux*	2740 lm (120°)
Luminous flux**	2600/2740 lm (360°)
Light efficiency	87 lm/W
Colour temperature	3000 K
Light colour	WW
Beam angle	100 °
RA	80
Uniformity of color SDCM max	5
Dimmable	-
Working temperature range	-20/+40 °
Lifespan	17000 h
Housing material	Aluminum, PLASTIC, GLASS
Protection class	IP44
Colour	White
Dimension (axbxc)	188x160x28 mm
For use	Inside/Outside
Assembly method	On the ceiling
Application	INT/EXT
Made in	PRC



*Applies to the LED source used. **Luminaire luminous flux

Motion sensor PIR (sensor regulated, range: 2-10 m., operating time: 10 s. - 7 m., ambient light: 3 - 2000 LUX)