


SLI031035CW_PW_CZUJNIK

SLI031035CW_PW_CZUJNIK

NYMPHEA BLACK & WHITE RINGS 24W CW 230V 115st IP54 IK04 FI320x52 WHITE / BLACK ROUND WITH SENSOR


IP54



Power	24 W	Voltage	230 V
Luminous flux*	2850 lm (360°)	Colour temperature	6000 K
Colour of light	CW	Beam angle	115 °
Degree of protection (IP)	IP54		

Technical data

Code	SLI031035CW_PW_CZUJNIK
Power	24 W
Nominal current	175 mA
Voltage	230 V
Energy consumption	24 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Power factor	0.6
Useful luminous flux*	2850 lm (360°)
Luminous flux**	1850 lm (360°)
Lamp efficacy	119 lm/W
Luminous intensity	1050 cd
Colour temperature	6000 K
Colour of light	CW
Beam angle	115 °
RA	>80
Light source included	+
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 +40 °
Lifespan	17000 h
Housing material	Plastic
Degree of protection (IP)	IP54
Colour	White
Dimension (AxBxC)	320x52 mm
For use	Inside
Assembly method	On the ceiling
Application	Inside
Made in	PRC
Other	MV Sensor ,



Related documents



 Declaration of Conformity

