


NYMPHEA BLACK & WHITE

SLI031036NW_PW

Plafond NYMPHEA BLACK & WHITE, with a power of 32 W, high light efficacy 106 lm/W. It has a high IP54 rating, making it ideal for use in rooms with high humidity. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Designed for surface mounting. The product is certified by the National Institute of Hygiene, so it can be used in rooms with high hygienic requirements.

IP54

Power	32 W	Voltage	230 V
Luminous flux*	3400 lm (360°)	Colour temperature	4000 K
Colour of light	Neutral white	Beam angle	115 °
Degree of protection (IP)	IP54		

Technical data

Code	SLI031036NW_PW
Power	32 W
Nominal current	142 mA
Voltage	230 V
Energy consumption	32 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Power factor	0.980000
Useful luminous flux*	3400 lm (360°)
Luminous flux	2250 lm (360°)
Lamp efficacy	106 lm/W
Luminous intensity	1360 cd
Colour temperature	4000 K
Colour of light	Neutral white
Beam angle	115 °
RA	>80
Light source included	+
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 +40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Housing material	Plastic
Degree of protection (IP)	IP54
Colour	White
Dimension (AxBxC)	380x55 mm
For use	Inside
Assembly method	On the ceiling
Application	Inside
Certified by the National Institute of Hygiene	Yes
Made in	PRC

Logistics data


Bulk packaging	20 pcs.
Quantity per pallet	120 pcs.
Gross weight (1 pcs.)	0.793 kg




*applies to the LED source used

Related documents



 User manual



 Declaration of Conformity



 Photometric file

