


SLI031036NW_PW_CZUJNIK

SLI031036NW_PW_CZUJNIK

NYMPHEA BLACK & WHITE RINGS 32W NW 230V 115st IP54 IK04 FI380x55 WHITE / BLACK ROUND WITH SENSOR


IP54



Power	32 W	Voltage	230 V
Luminous flux*	3400 lm (360°)	Colour temperature	4000 K
Colour of light	Neutral white	Beam angle	115 °
Degree of protection (IP)	IP54		

Technical data

Code	SLI031036NW_PW_CZUJNIK
Power	32 W
Nominal current	142 mA
Voltage	230 V
Energy consumption	32 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Power factor	0.98
Useful luminous flux*	3400 lm (360°)
Luminous flux**	2250 lm (360°)
Lamp efficacy	106 lm/W
Luminous intensity	1360 cd
Colour temperature	4000 K
Colour of light	Neutral white
Beam angle	115 °
RA	>80
Light source included	+
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 +40 °
Lifespan	17000 h
Housing material	Plastic
Degree of protection (IP)	IP54
Colour	White
Dimension (AxBxC)	380x55 mm
For use	Inside
Assembly method	On the ceiling
Application	Inside
Made in	PRC
Other	MV Sensor ,



Related documents



 Declaration of Conformity

