


NYMPHEA BLACK & WHITE

SLI031036WW_PW


Plafond NYMPHEA BLACK & WHITE, with a power of 32 W, high light efficacy 106 lm/W. It has a high IP54 rating, making it ideal for use in rooms with high humidity. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Designed for surface mounting. The product is certified by the National Institute of Hygiene, so it can be used in rooms with high hygienic requirements.

IP54

Power	32 W	Voltage	230 V
Luminous flux*	3380 lm (360°)	Colour temperature	3000 K
Colour of light	WW	Beam angle	115 °
Degree of protection (IP)	IP54		

Technical data

Code	SLI031036WW_PW
Power	32 W
Nominal current	142 mA
Voltage	230 V
Energy consumption	32 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Power factor	0.98
Useful luminous flux*	3380 lm (360°)
Luminous flux**	2200 lm (360°)
Lamp efficacy	106 lm/W
Luminous intensity	1360 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	115 °
RA	>80
Light source included	+
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 +40 °
Lifespan	17000 h
Housing material	Plastic
Degree of protection (IP)	IP54
Colour	White
Dimension (AxBxC)	380x55 mm
For use	Inside
Assembly method	On the ceiling
Application	Inside
Made in	PRC



Related documents

 User manual Declaration of Conformity Photometric file

