

# ANDROMEDA

SLI033019WW\_PW

On track luminaire ANDROMEDA, with a power of 25 W, high light efficacy 128 lm/W. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Designed to be mounted on a track.



---

Power	<b>25 W</b>	Voltage	<b>230 V</b>
Luminous flux*	<b>3200 lm (360°)</b>	Colour temperature	<b>3000 K</b>
Colour of light	<b>WW</b>	Beam angle	<b>36, 60 °</b>
Degree of protection (IP)	<b>IP20</b>		

---

## Technical data


---

Code	SLI033019WW_PW
Power	25 W
Nominal current	120 mA
Voltage	230 V
Energy consumption	25 kWh/1000h
Frequency	50HZ Hz
Protection class	I
Power supply included	+
Manufacturer of power supply	LIFUD
Power factor	0.9
Useful luminous flux*	3200 lm (360°)
Luminous flux**	2600 lm (360°)
Lamp efficacy	128 lm/W
Luminous intensity	6100 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	36, 60 °
RA	80
Light source included	+
Producer of LED diodes	SANAN
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Housing material	Aluminum, PLASTIC
Degree of protection (IP)	IP20
Colour	White
Dimension (AxBxC)	170x160x74 mm
For use	Inside
Assembly method	on track
Application	INT
Made in	PRC


## Related documents

---



 User manual



 Declaration of Conformity



 Photometric file

