

SLI035037WW_DALI

SLI035037WW_DALI

ALGINE LED 230V 45W 100LM/W IP20 600X600MM WW CEILING PANEL-5Y WARRANTY DALI



Power	45 W	Voltage	230 V
Luminous flux*	4820 lm (360°)	Colour temperature	3000 K
Colour of light	WW	Beam angle	120 °
IK	06	Degree of protection (IP)	IP20

Technical data

Code	SLI035037WW_DALI
Power	45 W
Nominal current	200 mA
Voltage	230 V
Energy efficiency class	F
Energy consumption	45 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power supply included	+
Power factor	0.95
Useful luminous flux*	4820 lm (360°)
Luminous flux**	4400 lm (360°)
Lamp efficacy	107 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	120 °
RA	80
Uniformity of color SDCM max	3
Dimmable	DALI
Working temperature range	-20/+40 °
Lifespan	50000 h
Housing material	Aluminum, PLASTIC
IK	06
Degree of protection (IP)	IP20
Colour	White
Dimension (AxBxC)	595x595x10 mm
Mounting hole	575x575 mm
For use	Inside
Assembly method	Recessed, On the ceiling, Suspended
Application	INT
Made in	PRC
Other	L80B50 50000h MTBF 80000h ,
Catalogue number	SLI035037WW_DALI ,

Logistics data

Bulk packaging	8 pcs.
Quantity per pallet	120 pcs.

Related documents



 Declaration of Conformity



 Photometric file

