

# VIGA

SLI045005CW\_PW

Linear luminaire VIGA, with a power of 14 W, high light efficacy 121 lm/W. It shines with a cold light colour (6000K), which is suitable for rooms where we need to be most focused and concentrated, such as technical workstations. Suitable for both surface and suspended mounting.



---

Power	<b>14 W</b>	Voltage	<b>230 V</b>
Luminous flux*	<b>1700 lm (360°)</b>	Colour temperature	<b>6000 K</b>
Colour of light	<b>CW</b>	Beam angle	<b>120 °</b>
Degree of protection (IP)	<b>IP20</b>		

---

## Technical data


---

Code	SLI045005CW_PW
Power	14 W
Nominal current	105 mA
Voltage	230 V
Energy consumption	14 kWh/1000h
Frequency	50HZ Hz
Protection class	II
Power factor	0,5
Useful luminous flux*	1700 lm (360°)
Luminous flux**	1500 lm (360°)
Lamp efficacy	121 lm/W
Colour temperature	6000 K
Colour of light	CW
Beam angle	120 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Housing material	PC
Degree of protection (IP)	IP20
Colour	White
Dimension (AxBxC)	76x580x26 mm
For use	Inside
Assembly method	On the ceiling, Suspended
Application	Inside
Made in	PRC


## Related documents

---



 User manual



 Declaration of Conformity



 Photometric file