

WLD+40004_CASAMBI

WLD+40004_CASAMBI

SYSTEM SHIFT - SPOT S TRACK LIGHT 35X140X178MM 6W 24DEG BLACK 5Y WARRANTY CASAMBI




Power **6 W**
Colour temperature **3000 K**
Beam angle **24 °**

Voltage **48 V**
Colour of light **WW**
Degree of protection (IP) **IP20**

Technical data

Code	WLD+40004_CASAMBI
Power	6 W
Nominal current	115 mA
Voltage	48 V
Energy consumption	6 kWh/1000h
Frequency	DC Hz
Protection class	III
Manufacturer of power supply	tuobo
Power factor	1
Useful luminous flux*	555 lm (360°)
Luminous flux**	370 lm (360°)
Lamp efficacy	93 lm/W
Luminous intensity	1050 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	24 °
RA	>90
Light source included	Yes
Producer of LED diodes	osram
Uniformity of color SDCM max	5
Dimmable	CASAMBI
Working temperature range	-20 to +40 °
Lifespan	50000 h
Housing material	AL+PC
Degree of protection (IP)	IP20
Colour	Black
Dimension (AxBxC)	35x140x178 mm
For use	Inside
Assembly method	NA SZYNĘ
Application	Inside
Made in	PRC
Other	CASAMBI ,



		
	48V   Die Montage erfolgt über ein einfaches Klick-System zusätzlich lässt sich die Leuchte je nach Bedarf verschieben	48V   Luminaire assembly within the track on "click" and its free arrangement
	48V   Luminaire assembly within the track on "click" and its free arrangement	