

# SYSTEM SHIFT - SPOT M

WLD+40005

On track luminaire SYSTEM SHIFT - SPOT M, with a power of 10 W. It is made of high-quality components, supported by a 5-year warranty. It also stands out for its very high colour rendering index RA>90. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Narrow beam angle 24° gives directional light so that selected objects or surfaces can be better exposed. Designed to be mounted on a track.



Power	<b>10 W</b>
Colour temperature	<b>3000 K</b>
Beam angle	<b>24 °</b>

Voltage	<b>48 V</b>
Colour of light	<b>WW</b>
Degree of protection (IP)	<b>IP20</b>


## Technical data

Code	WLD+40005
Power	10 W
Nominal current	200 mA
Voltage	48 V
Energy consumption	10 kWh/1000h
Frequency	DC Hz
Protection class	III
Power factor	1
Useful luminous flux*	950 lm (360°)
Luminous flux**	700 lm (360°)
Lamp efficacy	95 lm/W
Luminous intensity	2700 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	24 °
RA	>90
Light source included	Yes
Producer of LED diodes	osram
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 to +40 °
Lifespan	50000 h
Housing material	AL+PC
Degree of protection (IP)	IP20
Colour	Czarny
Dimension (AxBxC)	44x157x178 mm
For use	Inside
Assembly method	NA SZYŃĘ
Application	Inside
Made in	PRC




## Related documents



 User manual



 Declaration of Conformity



 Photometric file



 3D model

<p>SYSTEM SHIFT CLICK &amp; SHIFT</p>	<p>SYSTEM SHIFT CLICK &amp; SHIFT</p>	
<p>48V </p> <p>161 mm 106 mm 44 mm</p> <p>Montaż oprawy w obrobie szczyby na „click” oraz możliwość swobodnego jej przesuwania</p>	<p>48V </p> <p>161 mm 106 mm 44 mm</p> <p>Luminaire assembly within the track on “click” and its free arrangement</p>	