

# WLD+40006\_CASAMBI

WLD+40006\_CASAMBI

SYSTEM SHIFT - HANGIT SUSPENDED SPHERE TRACK LIGHT 40X297 (935MM CABLE) 12W 25DEG BLACK 5Y WARRANTY CASAMBI



Power **12 W**

Colour temperature **3000 K**

Beam angle **25 °**


Voltage **48 V**

Colour of light **WW**

Degree of protection (IP) **IP20**

## Technical data

Code	WLD+40006_CASAMBI
Power	12 W
Nominal current	250 mA
Voltage	48 V
Energy consumption	12 kWh/1000h
Frequency	DC Hz
Protection class	III
Manufacturer of power supply	tuobo
Power factor	1
Useful luminous flux*	1130 lm (360°)
Luminous flux**	830 lm (360°)
Lamp efficacy	94 lm/W
Luminous intensity	3520 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	25 °
RA	>90
Light source included	Yes
Producer of LED diodes	osram
Uniformity of color SDCM max	5
Dimmable	CASAMBI
Working temperature range	-20 to +40 °
Lifespan	50000 h
Housing material	AL+PC
Degree of protection (IP)	IP20
Colour	Black
Dimension (AxBxC)	40x297 (935mm wire) mm
For use	Inside
Assembly method	NA SZYŃĘ
Application	Inside
Made in	PRC
Other	CASAMBI ,





5  
lat gwarancji  
5 years warranty

48V

900 mm  
297 mm  
40 mm

Montaż oprawy w obrebie szyby na „click” oraz  
możliwość swobodnego jej przesuwania

5  
lat gwarancji  
5 years warranty

48V

900 mm  
297 mm  
40 mm

Montaż oprawy w obrebie szyby na „click” oraz  
możliwość swobodnego jej przesuwania

