

WLD+40006_DALI

WLD+40006_DALI

SYSTEM SHIFT - HANGIT SUSPENDED SPHERE TRACK LIGHT 40X297 (935MM CABLE) 12W 25DEG BLACK 5Y WARRANTY DALI




Power	12 W
Colour temperature	3000 K
Beam angle	25 °

Voltage	48 V
Colour of light	WW
Degree of protection (IP)	IP20

Technical data

Code	WLD+40006_DALI
Power	12 W
Nominal current	250 mA
Voltage	48 V
Energy consumption	12 kWh/1000h
Frequency	DC Hz
Protection class	III
Manufacturer of power supply	tuobo
Power factor	1
Useful luminous flux*	1130 lm (360°)
Luminous flux**	830 lm (360°)
Lamp efficacy	94 lm/W
Luminous intensity	3520 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	25 °
RA	>90
Light source included	Yes
Producer of LED diodes	osram
Uniformity of color SDCM max	5
Dimmable	DALI
Working temperature range	-20 to +40 °
Lifespan	50000 h
Housing material	AL+PC
Degree of protection (IP)	IP20
Colour	Black
Dimension (AxBxC)	40x297 (935mm wire) mm
For use	Inside
Assembly method	NA SZYŃ
Application	Inside
Made in	PRC
Other	DALI ,



Related documents

 Declaration of Conformity 3D model

