

SYSTEM SHIFT - LINE S

WLD+40008


On track luminaire SYSTEM SHIFT - LINE S, with a power of 8 W, high light efficacy 123 lm/W. It is made of high-quality components, supported by a 5-year warranty. It also stands out for its very high colour rendering index RA>90. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Designed to be mounted on a track.



Power	8 W	Voltage	48 V
Colour temperature	3000 K	Colour of light	WW
Beam angle	100 °	Degree of protection (IP)	IP20


Technical data

Code	WLD+40008
Power	8 W
Nominal current	170 mA
Voltage	48 V
Energy consumption	8 kWh/1000h
Frequency	DC Hz
Protection class	III
Power factor	1
Useful luminous flux*	980 lm (360°)
Luminous flux**	400 lm (360°)
Lamp efficacy	123 lm/W
Luminous intensity	135 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	100 °
RA	>90
Light source included	Yes
Producer of LED diodes	osram
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 to +40 °
Lifespan	50000 h
Housing material	AL+PC
Degree of protection (IP)	IP20
Colour	Czarny
Dimension (AxBxC)	304x23x42 mm
For use	Inside
Assembly method	NA SZYŃĘ
Application	Inside
Made in	PRC




Related documents



 User manual








 Declaration of Conformity



 Photometric file



 3D model

	<p>48V </p>  <p>Die Montage erfolgt über ein einfaches Klick-System zusätzlich lässt sich die Leuchte je nach Bedarf verschieben</p>	<p>48V </p>  <p>Luminaire assembly within the track on "click" and its free arrangement</p>
---	--	---

