

WLD+40010_CASAMBI

WLD+40010_CASAMBI


SYSTEM SHIFT - LINE L TRACK LIGHT 902X23X42MM 22W 100DEG BLACK 5Y WARRANTY CASAMBI



Power	22 W	Voltage	48 V
Colour temperature	3000 K	Colour of light	WW
Beam angle	100 °	Degree of protection (IP)	IP20

Technical data

Code	WLD+40010_CASAMBI
Power	22 W
Nominal current	435 mA
Voltage	48 V
Energy consumption	22 kWh/1000h
Frequency	DC Hz
Protection class	III
Manufacturer of power supply	tuobo
Power factor	1
Useful luminous flux*	2300 lm (360°)
Luminous flux**	1060 lm (360°)
Lamp efficacy	105 lm/W
Luminous intensity	360 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	100 °
RA	>90
Light source included	Yes
Producer of LED diodes	osram
Uniformity of color SDCM max	5
Dimmable	CASAMBI
Working temperature range	-20 to +40 °
Lifespan	50000 h
Housing material	AL+PC
Degree of protection (IP)	IP20
Colour	Black
Dimension (AxBxC)	902x23x42 mm
For use	Inside
Assembly method	NA SZYŃĘ
Application	Inside
Made in	PRC
Other	CASAMBI ,



SYSTEM SHIFT
CLICK & SHIFT



48V 

Luminaire assembly within the track on "click" and its free arrangement

