

SYSTEM SHIFT - GRID S

WLD+40011

On track luminaire SYSTEM SHIFT - GRID S, with a power of 12 W, high light efficacy 100 lm/W. It is made of high-quality components, supported by a 5-year warranty. It also stands out for its very high colour rendering index RA>90. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Narrow beam angle 35° gives directional light so that selected objects or surfaces can be better exposed. Designed to be mounted on a track.



Power	12 W
Colour temperature	3000 K
Beam angle	35 °
Degree of protection (IP)	IP20


Voltage	48 V
Colour of light	WW
UGR	<19

Technical data

Code	WLD+40011
Power	12 W
Nominal current	263 mA
Voltage	48 V
Energy consumption	12 kWh/1000h
Frequency	DC Hz
Protection class	III
Power factor	1
Useful luminous flux*	1200 lm (360°)
Luminous flux**	750 lm (360°)
Lamp efficacy	100 lm/W
Luminous intensity	2580 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	35 °
UGR	<19
RA	>90
Light source included	Yes
Producer of LED diodes	osram
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 to +40 °
Lifespan	50000 h
Housing material	AL+PC
Degree of protection (IP)	IP20
Colour	Czarny
Dimension (AxBxC)	204x23x42 mm
For use	Inside
Assembly method	NA SZYNOPROOutsideÓD 48V
Application	Inside
Made in	PRC

Logistics data

Bulk packaging	50 pcs.
Quantity per pallet	1800 pcs.
Gross weight (1 pcs.)	0.18 kg



Related documents


 User manual

 Declaration of Conformity

 Photometric file

 3D model

