

WLD+40037_SMART

WLD+40037_SMART

SYSTEM SHIFT SMART- LINE S TRACK LIGHT 304MM 8W 100DEG WHITE CCT/DIM 5 Y WARRANTY



Power	10 W	Voltage	48 V
Colour temperature	3000/4000/6000 K	Colour of light	CCT
Beam angle	100 °	Degree of protection (IP)	IP20

Technical data

Code	WLD+40037_SMART
Power	10 W
Nominal current	210 mA
Voltage	48 V
Energy consumption	10 kWh/1000h
Frequency	DC Hz
Protection class	III
Power factor	1
Useful luminous flux*	940 lm (360°)
Luminous flux**	400 lm (360°)
Lamp efficacy	94 lm/W
Colour temperature	3000/4000/6000 K
Colour of light	CCT
Beam angle	100 °
RA	>90
Light source included	Yes
Uniformity of color SDCM max	5
Working temperature range	-20 to +40 °
Lifespan	50000 h
Housing material	AL+PC
Degree of protection (IP)	IP20
Colour	White
Dimension (AxBxC)	304x23x42 mm
For use	Inside
Assembly method	NA SZYNOPROOutsideÓD 48V
Application	Inside
Made in	PRC
Other	CCT/DIM ,

Logistics data

Bulk packaging	40 pcs.
Gross weight (1 pcs.)	0.23 kg

Related documents

 User manual Declaration of Conformity

