

# WLD+40042\_CASAMBI

WLD+40042\_CASAMBI

SYSTEM SHIFT - GRID L TRACK LIGHT 404X23X42MM 22W 35DEG WHITE 5Y WARRANTY CASAMBI



Power **22 W**

Voltage **48 V**

Colour temperature **3000 K**

Colour of light **WW**



Beam angle **35 °**

Degree of protection (IP) **IP20**

## Technical data

Code	WLD+40042_CASAMBI
Power	22 W
Nominal current	450 mA
Voltage	48 V
Energy consumption	22 kWh/1000h
Frequency	DC Hz
Protection class	III
Manufacturer of power supply	tuobo
Power factor	1
Useful luminous flux*	2250 lm (360°)
Luminous flux**	1550 lm (360°)
Lamp efficacy	102 lm/W
Luminous intensity	4600 cd
Colour temperature	3000 K
Colour of light	WW
Beam angle	35 °
RA	>90
Light source included	Yes
Producer of LED diodes	osram
Uniformity of color SDCM max	5
Dimmable	CASAMBI
Working temperature range	-20 to +40 °
Lifespan	50000 h
Housing material	AL+PC
Degree of protection (IP)	IP20
Colour	White
Dimension (AxBxC)	404x23x42 mm
For use	Inside
Assembly method	NA SZYŃĘ
Application	Inside
Made in	PRC
Other	CASAMBI ,



<p data-bbox="558 257 638 336"><b>48V</b></p> <p data-bbox="670 257 758 336">5 lat gwarancji years warranty</p>  <p data-bbox="223 806 702 862">Die Montage erfolgt über ein einfaches Klick-System zusätzlich lässt sich die Leuchte je nach Bedarf verschieben</p>	<p data-bbox="1244 257 1324 336"><b>48V</b></p> <p data-bbox="1356 257 1444 336">5 lat gwarancji years warranty</p>  <p data-bbox="845 806 1420 840">Luminaire assembly within the track on "click" and its free arrangement</p>
---	--