

SYSTEM SHIFT BASIC LINE S

WLD+70007WW



See
more

On track luminaire SYSTEM SHIFT BASIC LINE S, with a power of 15 W, high light efficacy 110 lm/W. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Designed to be mounted on a track.



Power	15 W	Voltage	48 V
Colour temperature	3000 K	Colour of light	WW
Beam angle	100 °	Degree of protection (IP)	IP20

Technical data

Code	WLD+70007WW
Power	15 W
Nominal current	280 mA
Voltage	48 V
Energy consumption	15 kWh/1000h
Frequency	DC Hz
Protection class	III
Power factor	1
Useful luminous flux*	1650 lm (360°)
Luminous flux**	500 lm (360°)
Lamp efficacy	110 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	100 °
RA	80
Light source included	Yes
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20 to +40 °
Lifespan	17000 h
Housing material	AL+PC
Degree of protection (IP)	IP20
Colour	Czarny
Dimension (AxBxC)	300x23x42 mm
For use	Inside
Assembly method	NA SZYNE
Application	Inside
Made in	PRC

Related documents



 User manual



 Declaration of Conformity



 Photometric file

