

# LED G9

WOJ+14163

LED source LED G9 7 W. It is perfect for use in households, hotels, shops, or restaurants as decorative or accent lighting, and can be installed in decorative luminaires, furniture fittings, and wall sconces equipped with a G9 base. It is characterised by a high light efficacy 110 lm/W. It shines with a warm light (3000K), which promotes relaxation and rest, making the illuminated room cosier. Wide beam angle 270° ensures even illumination of the room.



Power	<b>7 W</b>	Voltage	<b>230 V</b>
Luminous flux**	<b>770 lm (360°)</b>	Colour temperature	<b>3000 K</b>
Colour of light	<b>WW</b>	Beam angle	<b>270 °</b>
Socket	<b>G9</b>		

## Technical data

---

Code	WOJ+14163
Power	7 W
Nominal current	45 mA
Voltage	230 V
Energy efficiency class	E
Energy consumption	7 kWh/1000h
Frequency	50HZ Hz
Power supply included	+
Power factor	0.5
Useful luminous flux*	770 lm (360°)
Luminous flux**	770 lm (360°)
Lamp efficacy	110 lm/W
Colour temperature	3000 K
Colour of light	WW
Beam angle	270 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	G9
Dimension (AxBxC)	21x71 mm
For use	Inside
Application	INT
Made in	PRC

## Related documents

---



 Declaration of Conformity



 Photometric file

