

LED G9

WOJ+14168

LED source LED G9 2,5 W in silicone cover. It is perfect for use in households, hotels, shops, or restaurants as decorative or accent lighting, and can be installed in decorative luminaires, furniture fittings, and wall sconces equipped with a G9 base.. It shines with a cold light colour (6000K), which is suitable for rooms where we need to be most focused and concentrated, such as technical workstations. Wide beam angle 270° ensures even illumination of the room.



Power	2,5 W	Voltage	230 V
Luminous flux**	220 lm (360°)	Colour temperature	6000 K
Colour of light	CW	Beam angle	270 °
Socket	G9		

Technical data

Code	WOJ+14168
Power	2,5 W
Nominal current	10 mA
Voltage	230 V
Energy efficiency class	F
Energy consumption	3 kWh/1000h
Frequency	50HZ Hz
Power factor	0,4
Useful luminous flux*	220 lm (360°)
Luminous flux**	220 lm (360°)
Lamp efficacy	88 lm/W
Colour temperature	6000 K
Colour of light	CW
Beam angle	270 °
RA	80
Uniformity of color SDCM max	5
Dimmable	No
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	G9
Dimension (AxBxC)	15x46 mm
For use	Inside
Application	INT
Made in	PRC

Related documents



 Declaration of Conformity

