

# LED STRIP

WOJ+14429

LED strip LED STRIP 44 (9,6) W in silicone cover. It is characterised by a high light efficacy 100 lm/W. It has a high IP44 rating, making it ideal for use in rooms with high humidity. It also stands out for its very high colour rendering index RA>90. It shines with a cold light colour (6000K), which is suitable for rooms where we need to be most focused and concentrated, such as technical workstations.

**IP44**

Power	<b>44 (9,6) W</b>	Voltage	<b>12 V</b>
Luminous flux**	<b>4400 (720) lm (360°)</b>	Colour temperature	<b>6000 K</b>
Colour of light	<b>CW</b>	Beam angle	<b>120 °</b>
Degree of protection (IP)	<b>IP44</b>		

## Technical data

---

Code	W0J+14429
Power	44 (9,6) W
Nominal current	2500 mA
Voltage	12 V
Energy efficiency class	G
Energy consumption	5 kWh/1000h
Frequency	DC Hz
Power supply included	No
Power factor	1
Luminous flux**	4400 (720) lm (360°)
Lamp efficacy	100 lm/W
Colour temperature	6000 K
Colour of light	CW
Beam angle	120 °
RA	90
Uniformity of color SDCM max	5
Dimmable	Yes
Working temperature range	-20/+40 °
Lifespan	17000 h
Degree of protection (IP)	IP44
Dimension (AxBxC)	8X20000 mm
For use	Inside
Application	INT
Made in	PRC
Other	1m-800mA ,

## Related documents

---



 Declaration of Conformity

---