

# LED AR111 GU10

WOJ+14512

Smart light bulb, LED source AR111 GU10 with the possibility of changes to the colour temperature of light (CCT), with the possibility of dimming (DIMM) and remote commissioning and control via app on your mobile device. It is an LED source, a light bulb with the popular GU10 mount. Narrow beam angle 30° gives directional light so that selected objects or surfaces can be better exposed.

**CCT**

Power	<b>10 W</b>	Voltage	<b>230 V</b>
Luminous flux**	<b>1050 lm (360°)</b>	Colour temperature	<b>3000-5800 K</b>
Colour of light	<b>CCT</b>	Beam angle	<b>30 °</b>
Socket	<b>GU10</b>		

## Technical data


---

Code	WOJ+14512
Power	10 W
Nominal current	80 mA
Voltage	230 V
Energy efficiency class	F
Energy consumption	10 kWh/1000h
Frequency	50HZ Hz
Power factor	0,5
Useful luminous flux*	850 lm (90°)
Luminous flux**	1050 lm (360°)
Luminous intensity	1500 cd
Colour temperature	3000-5800 K
Colour of light	CCT
Beam angle	30 °
RA	>80
Dimmable	SMART
Working temperature range	-20/+40 °
Lifespan	17000 h
Socket	GU10
Colour	White
Dimension (AxBxC)	ø110x70 mm
For use	Inside
Made in	PRC
Other	3000-5800K, BARWA CCT ,


## Related documents

---



 Declaration of Conformity



 Photometric file

