

LED STRIP

WOJ+14519

LED strip LED STRIP 20 (4,4) W in silicone cover. It is made of high-quality components, supported by a 5-year warranty. It has a high IP54 rating, making it ideal for use in rooms with high humidity. It also stands out for its very high colour rendering index RA>90



Power	20 (4,4) W	Voltage	24 V
Luminous flux**	1700 (360) lm (360°)	Colour temperature	2700-6500 K
Colour of light	CCT / RGB	Beam angle	120 °
Degree of protection (IP)	IP54		

Technical data

Code	W0J+14519
Power	20 (4,4) W
Nominal current	860 mA
Voltage	24 V
Energy efficiency class	G
Energy consumption	3 kWh/1000h
Frequency	DC Hz
Power supply included	No
Power factor	1
Luminous flux	1700 (360) lm (360°)
Lamp efficacy	85 lm/W
Colour temperature	2700-6500 K
Colour of light	CCT / RGB
Beam angle	120 °
RA	90
Uniformity of color SDCM max	5
Dimmable	Yes
Working temperature range	-20 / +40 °
Warranty	5 years
Lifespan	50000 h
(On/Off)	25000
Degree of protection (IP)	IP54
Dimension (AxBxC)	12X5000 mm
For use	Inside / Outside
Application	INT / EXT
Made in	PRC
Other	2700-6500K ,

Logistics data

Bulk packaging	125 pcs.
Quantity per pallet	6000 pcs.
Gross weight (1 pcs.)	0.16 kg

*applies to the LED source used

Related documents



 Declaration of Conformity



 Photometric file

