

# LED BALL

WOJ+14582

LED source LED BALL 1 W with E-27 base and in the shape of a glass 'ball'. It is characterised by a high light efficacy 110 lm/W. It is extremely economical to operate - their power output is 1 W. It is even more energy-efficient thanks to the use of durable COG filaments, which consume very little electricity. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Wide beam angle 300° ensures even illumination of the room.



|                 |                      |                    |               |
|-----------------|----------------------|--------------------|---------------|
| Power           | <b>1 W</b>           | Voltage            | <b>230 V</b>  |
| Luminous flux** | <b>110 lm (360°)</b> | Colour temperature | <b>4000 K</b> |
| Colour of light | <b>Neutral white</b> | Beam angle         | <b>300 °</b>  |
| Socket          | <b>E27</b>           |                    |               |

## Technical data

|                           |               |
|---------------------------|---------------|
| Code                      | WQJ+14582     |
| Power                     | 1 W           |
| Nominal current           | 10 mA         |
| Voltage                   | 230 V         |
| Energy efficiency class   | E             |
| Energy consumption        | 1 kWh/1000h   |
| Frequency                 | 50HZ Hz       |
| Power factor              | 0.4           |
| Useful luminous flux*     | 110 lm (360°) |
| Luminous flux**           | 110 lm (360°) |
| Lamp efficacy             | 110 lm/W      |
| Colour temperature        | 4000 K        |
| Colour of light           | Neutral white |
| Beam angle                | 300 °         |
| RA                        | 80            |
| Dimmable                  | No            |
| Working temperature range | -20/+40 °     |
| Lifespan                  | 17000 h       |
| Socket                    | E27           |
| Dimension (AxBxC)         | 45x72 mm      |
| For use                   | Inside        |
| Application               | INT           |
| Made in                   | PRC           |

## Logistics data

|                       |           |
|-----------------------|-----------|
| Bulk packaging        | 100 pcs.  |
| Quantity per pallet   | 5700 pcs. |
| Gross weight (1 pcs.) | 0.027 kg  |

## Related documents



 Declaration of Conformity

