

LED GLS

WOJ+14595

LED source LED GLS 8,5 W with E-27 base and in the shape of a traditional glass bulb. It is characterised by a high light efficacy 129 lm/W. It is even more energy-efficient thanks to the use of durable COG filaments, which consume very little electricity. Wide beam angle 300° ensures even illumination of the room.



| | | | |
|-----------------|-----------------------|--------------------|---------------|
| Power | 8,5 W | Voltage | 230 V |
| Luminous flux** | 1100 lm (360°) | Colour temperature | 2700 K |
| Colour of light | WW | Beam angle | 300 ° |
| Socket | E27 | | |

Technical data

| | |
|---------------------------|----------------|
| Code | W0J+14595 |
| Power | 8,5 W |
| Nominal current | 67 mA |
| Voltage | 230 V |
| Energy efficiency class | E |
| Energy consumption | 9 kWh/1000h |
| Frequency | 50HZ Hz |
| Useful luminous flux* | 1100 lm (360°) |
| Luminous flux | 1100 lm (360°) |
| Lamp efficacy | 129 lm/W |
| Colour temperature | 2700 K |
| Colour of light | WW |
| Beam angle | 300 ° |
| RA | 80 |
| Dimmable | No |
| Working temperature range | 20 / +40 ° |
| Warranty | 2 years |
| Lifespan | 17000 h |
| (On/Off) | 15000 |
| Socket | E27 |
| Dimension (AxBxC) | 60X107 mm |
| For use | Inside |
| Application | INT |
| Made in | PRC |


Logistics data

| | |
|-----------------------|-----------|
| Bulk packaging | 100 pcs. |
| Quantity per pallet | 2500 pcs. |
| Gross weight (1 pcs.) | 0.045 kg |

*applies to the LED source used

Related documents



 Declaration of Conformity

