

LED GLS

WOJ+14599_3PACK

Set of 3 LED bulbs, packed in a modern, attractive packaging that provides excellent protection during transport. LED source LED GLS 7 W with E-27 base and in the shape of a traditional glass bulb. It is characterised by a high light efficacy 110 lm/W. It is even more energy-efficient thanks to the use of durable COG filaments, which consume very little electricity. Wide beam angle 300° ensures even illumination of the room.



Power	7 W	Voltage	230 V
Luminous flux**	770 lm (360°)	Colour temperature	2700 K
Colour of light	WW	Beam angle	300 °
Socket	E27		

Technical data

Code	WQJ+14599_3PACK
Power	7 W
Nominal current	42 mA
Voltage	230 V
Energy efficiency class	E
Energy consumption	7 kWh/1000h
Frequency	50HZ Hz
Power factor	0.6
Useful luminous flux*	770 lm (360°)
Luminous flux	770 lm (360°)
Lamp efficacy	110 lm/W
Colour temperature	2700 K
Colour of light	WW
Beam angle	300 °
RA	80
Uniformity of color SDCM max	5
Working temperature range	20 / +40 °
Warranty	2 years
Lifespan	17000 h
(On/Off)	15000
Socket	E27
Dimension (AxBxC)	60x107 mm
For use	Inside
Application	INT
Made in	PRC

Logistics data

Bulk packaging	60 pcs.
Quantity per pallet	720 pcs.
Gross weight (1 pcs.)	0.14 kg

*applies to the LED source used

Related documents



 Declaration of Conformity

