

LED TUBE

WOJ+22308




| | | | |
|-----------------|-----------------------|--------------------|---------------|
| Power | 24 W | Voltage | 230 V |
| Luminous flux** | 2250 lm (360°) | Colour temperature | 6000 K |
| Colour of light | CW | Beam angle | 270 ° |
| Socket | G13 | | |

Technical data


| | |
|------------------------------|----------------|
| Code | WOJ+22308 |
| Power | 24 W |
| Nominal current | 200 mA |
| Voltage | 230 V |
| Energy efficiency class | F |
| Energy consumption | 24 kWh/1000h |
| Frequency | 50HZ Hz |
| Power factor | 0.62 |
| Useful luminous flux* | 2250 lm (360°) |
| Luminous flux** | 2250 lm (360°) |
| Lamp efficacy | 93 lm/W |
| Colour temperature | 6000 K |
| Colour of light | CW |
| Beam angle | 270 ° |
| RA | 80 |
| Uniformity of color SDCM max | 5 |
| Dimmable | No |
| Working temperature range | -20/+40 ° |
| Lifespan | 26000 h |
| Socket | G13 |
| Dimension (AxBxC) | 28X1500 mm |
| For use | Inside |
| Application | INT |
| Made in | PRC |

Related documents



 User manual



 Declaration of Conformity



 Photometric file

