

MONA 3

W0JP05197

LED luminaire MONA 3, with a power of 27 W, high light efficacy 125 lm/W. It is made of high-quality components, supported by a 5-year warranty. It also stands out for its very high colour rendering index RA>90. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Narrow beam angle 60° gives directional light so that selected objects or surfaces can be better exposed. Designed for recessed mounting.





Deurer	27 W		230 V
Power	2/ 11	voltage	23U V
Colour temperature	4000 K	Colour of light	Neutral white
Beam angle	60 °	Degree of protection (IP)	IP20

www.spectrumled.pl



Technical data

Code	W0JP05197	
Power	27 W	
Nominal current	129.1 mA	
Voltage		
	27 kWh/1000h	
Frequency	50HZ Hz	
Protection class	II	
Power supply included	+	
Manufacturer of power	BOKE	
supply Power factor	0.93	
Useful luminous flux*	0.93 3375 lm (360°)	
Luminnus flux**		
Edititiods flax	2700 lm (360°)	
Lamp efficacy	125 lm/W	
Colour temperature	4000 K	
Colour of light	Neutral white	
Beam angle	60 °	
RA	90	
Light source included	+	
Producer of LED diodes	CREE	
Uniformity of color SDCM max	3	
Dimmable	1-10V	
Working temperature range	-20/+40 °	
Lifespan	50000 h	
Housing material	Aluminum	
Degree of protection (IP)	IP20	
Colour	White	
Dimension (AxBxC)	180x130 mm	
Mounting hole	0145 mm	
For use		
Assembly method	Recessed	
Application	Inside	
Made in	PL	
Catalogue number	CEL42PR02794060W_DIM	

Related documents



岸 User manual



Photometric file



3D model

Date of technical data: Document was created: 2025-05-11