

# WOJP06649

WOJP06649

LED luminaire ALLDAY INSPIRE IN, with a power of 30 W, high light efficacy 130 lm/W. It is part of the ALLDAY INSPIRE series, which is characterised by modern design, high-quality materials and a wide range of components and accessories that allow for the personalisation of the luminaires. It is made of high-quality components, supported by a 5-year warranty. Narrow beam angle 50° gives directional light so that selected objects or surfaces can be better exposed. Designed for recessed mounting.



|                           |             |
|---------------------------|-------------|
| Power                     | <b>30 W</b> |
| Colour of light           | <b>TW</b>   |
| Degree of protection (IP) | <b>IP20</b> |

|            |              |
|------------|--------------|
| Voltage    | <b>230 V</b> |
| Beam angle | <b>50 °</b>  |

## Technical data

---

|                              |                         |
|------------------------------|-------------------------|
| Code                         | WQJP06649               |
| Power                        | 30 W                    |
| Nominal current              | 167 mA                  |
| Voltage                      | 230 V                   |
| Energy consumption           | 30 kWh/1000h            |
| Frequency                    | 50HZ Hz                 |
| Protection class             | I                       |
| Power supply included        | Yes                     |
| Manufacturer of power supply | TRIDONIC                |
| Power factor                 | 0.93                    |
| Useful luminous flux*        | 3900 lm (360°)          |
| Luminous flux**              | 3500 lm (360°)          |
| Lamp efficacy                | 130 lm/W                |
| Colour of light              | TW                      |
| Beam angle                   | 50 °                    |
| RA                           | 80                      |
| Light source included        | +                       |
| Producer of LED diodes       | SAMSUNG                 |
| Uniformity of color SDCM max | 3                       |
| Dimmable                     | DALI                    |
| Working temperature range    | -20/+40 °               |
| Lifespan                     | 50000 h                 |
| Housing material             | Aluminum                |
| Degree of protection (IP)    | IP20                    |
| Colour                       | White                   |
| Dimension (AxBxC)            | 1120X57x57 mm           |
| Mounting hole                | 1126X45 mm              |
| For use                      | Inside                  |
| Assembly method              | Recessed                |
| Application                  | Inside                  |
| Made in                      | PL                      |
| Other                        | L90B10 - 74000h ,       |
| Catalogue number             | ALD11PR030TW50WW_DALI , |

## Related documents

---



 User manual

