

ALLDAY GO

WQJP07771

LED luminaire ALLDAY GO, with a power of 36 W, high light efficacy 136 lm/W. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Designed for surface mounting.



Power **36 W**

Colour temperature **4000 K**

Beam angle **115 °**

Voltage **230 V**


Colour of light **Neutral white**

Degree of protection (IP) **IP20**

Technical data


| | |
|------------------------------|------------------------|
| Code | WQJP0771 |
| Power | 36 W |
| Nominal current | 172 mA |
| Voltage | 230 V |
| Energy consumption | 36 kWh/1000h |
| Frequency | 50HZ Hz |
| Protection class | I |
| Power supply included | Yes |
| Manufacturer of power supply | SPECTRUM |
| Power factor | 0.930000 |
| Useful luminous flux* | 4900 lm (360°) |
| Luminous flux | 2160 lm (360°) |
| Lamp efficacy | 136 lm/W |
| Colour temperature | 4000 K |
| Colour of light | Neutral white |
| Beam angle | 115 ° |
| RA | 80 |
| Light source included | + |
| Producer of LED diodes | SPECTRUM |
| Uniformity of color SDCM max | 3 |
| Dimmable | No |
| Working temperature range | -20/+40 ° |
| Warranty | 2 years |
| Lifespan | 17000 h |
| (On/Off) | 15000 |
| Housing material | Aluminum |
| Degree of protection (IP) | IP20 |
| Colour | Black |
| Dimension (AxBxC) | 1120X44X74 mm |
| For use | Inside |
| Assembly method | On the ceiling |
| Application | Inside |
| Made in | PL |
| Catalogue number | ALD9LM368400PB_CZUJNIK |


Logistics data



*applies to the LED source used

Related documents


 User manual

 Declaration of Conformity

 Photometric file

 3D model

