

## WOJP08215

W0JP08215

LED luminaire ALLDAY INSPIRE IN, with a power of 30 W, high light efficacy 145 lm/W. It is part of the ALLDAY INSPIRE series, which is characterised by modern design, high-quality materials and a wide range of components and accessories that allow for the personalisation of the luminaires. It is made of high-quality components, supported by a 5-year warranty. Lights up with neutral light - the most universal colour (4000K), which is suitable for the rooms we use on a daily basis, ensuring comfort during everyday activities. Narrow beam angle 80° gives directional light so that selected objects or surfaces can be better exposed. Designed for recessed mounting.





| Power              | 30 W   | Voltage                   | 230 V         |
|--------------------|--------|---------------------------|---------------|
| Colour temperature | 4000 K | Colour of light           | Neutral white |
| Beam angle         | 80°    | Degree of protection (IP) | IP20          |

## www.spectrumled.pl



## Technical data

| Code                         | W0JP08215                |
|------------------------------|--------------------------|
| Power                        | 30 W                     |
| Nominal current              | 143 mA                   |
| Voltage                      | 230 V                    |
| Energy consumption           | 30 kWh/1000h             |
| Frequency                    | 50HZ Hz                  |
| Protection class             | 1                        |
| Power supply included        | Yes                      |
| Manufacturer of power        | TRIDONIC                 |
| supply                       | 0.00                     |
| Power factor                 |                          |
| Useful luminous flux*        | 4350 lm (360°)           |
| Luminous flux**              | 4050 lm (360°)           |
| Lamp efficacy                | 145 lm/W                 |
| Colour temperature           | 4000 K                   |
| Colour of light              | Neutral white            |
| Beam angle                   | 80 °                     |
| RA                           | 80                       |
| Light source included        | +                        |
| Producer of LED diodes       | SAMSUNG                  |
| Uniformity of color SDCM max | 3                        |
| Dimmable                     | DALI                     |
| Working temperature range    | -20/+40 °                |
| Lifespan                     | 50000 h                  |
| Housing material             | Aluminum                 |
| Degree of protection (IP)    | IP20                     |
| Colour                       | Black                    |
| Dimension (AxBxC)            | 1120X57x57 mm            |
| Mounting hole                | 1126X45 mm               |
| For use                      | Inside                   |
| Assembly method              | Recessed                 |
| Application                  | Inside                   |
| Made in                      | PL                       |
| Other                        | L90B10 - 74000h ,        |
| Catalogue number             | ALD11PR03084080WB_DALI , |
|                              |                          |

## **Related documents**



ل User manual



